How to schedule an R1 session in VieSched++

This exercise shows how to generate a simple schedule for an R1 session. In case you have further questions or troubles using VieSched++ contact *mschartner@ethz.ch*.

HINT:

Throughout this document, inputs you have to make highlighted by an orange vertical bar. Optional inputs are highlighted by a green vertical bar. Alternative ways of doing things are highlighted by a blue vertical bar. Hints and tips are highlighted by a gray vertical bar.

First, you have to select your catalog files. VieSched++ will automatically download the newest set of catalog files on startup. They are automatically stored in the "./AUTO_DOWNLOAD_CATALOGS/" folder (check the "README.md" file in your installation directory to make sure that the automated download works). For a simple R1 schedule, the default catalogs can be used.

	VieSched++		-		
Basic Ad	vanced Help Analysis				
े 🎲 । 🛃	» 🤳 💾 I 🕨 🛛 🔁 🖾 🕲 🌑 🌐 🏠 쳐 🌈 👔 😥 🤜 🏷 🚸 😓 🧶	?	12	∛¢ ₹	
et latest cata	logs from: https://ivscc.gsfc.nasa.gov/IVS_AC/sked_cat/	sked catalogs?	H		
resolve pat	hes				1
station			^		
antenna	,/AUTO_DOWNLOAD_CATALOGS/antenna.cat	🛃 browse			
equip	/AUTO_DOWNLOAD_CATALOGS/equip.cat	4 browse			
position	/AUTO_DOWNLOAD_CATALOGS/position.cat	📕 browse			
mask	/AUTO_DOWNLOAD_CATALOGS/mask.cat	al browse			
		C reload			
source					
source	./AUTO_DOWNLOAD_CATALOGS/source.cat.geodetic.good	🛃 browse			
satellite	path to file containing TLE information	4 browse			
		browse			
flux	./AUTO_DOWNLOAD_CATALOGS/flux.cat	📕 browse			
		C reload			
✓ observing	g mode				
modes .//	AUTO_DOWNLOAD_CATALOGS/modes.cat	d browse			
freq .//	AUTO_DOWNLOAD_CATALOGS/freq.cat	4 browse			
tracks .//	AUTO DOWNLOAD CATALOGS/tracks.cat	J browse	-		
		nloads finished	8	(I	

HINT:

You will often see small buttons with a save icons in various parts of VieSched++ (for example, at the top right here, next to the *"sked catalogs?"* button). If you click on this button, your changes will be saved and automatically loaded the next time you start VieSched++.

CHANGE OBSERVING MODE AND TARGET SNR:

The first thing you have to do is to define which observing mode should be used for this session. For real experiments, use one entry from the *"sked catalog mode"*. Next, you can set a minimum signal to noise ratio (SNR) per observing band.

			VieSched	+		-	۰
alla i Chi	ed Help Analysis			• •			6 1
) 🐨 🛃 🕹	💾 🕨 🔟	14	D 🕀 🏠 🖓	1 🛛 📝 🛛 📢	• 🛎 💭 🎯 📩	s 🖏 💽 🔝 🗞	- V
sked catalog mo	ode						
. <u> </u>	de: 256-16(R1-R4)	•					
simple custom r	mode		advanced custom	n mode			
	1024.00 [MHz]		based on 256-16	(R1-R4) -		189	
	2		mode freq	bbc if track	s track frame form		
efficiency factor	0.6063						
	total reco		s] Station FREQ	BBC IF TRACKS	PHASE CAL DETECT	Track Frame Format	
frequenc	cy channels	remove	A Station PREQ	BBC IF TRACKS	THASE_CAL_DETECT	Track Frame Politiac	
A 3.2564 [GHz]		k delete	_				
B 5.4964 [GHz]	1 1	K delete	v				
		add ban	d				
🚚 load	💾 save		4			•	
licy							
min SNR	value for stations	backup stations	backup value stations	value for sources	backup sources	backup value sources	
x 20.00 🌲	required 🔹	value 👻	0.00	required 🔹	internal model 🛛 👻	0.00	
	required 🔹	value 👻	0.00	required 👻	internal model 🔍 👻	0.00	
s 15.00	, required						
s 15.00	required			η			

HINT:

If you are unsure what a button or field in VieSched++ does, you can enter the *"What's this?"* mode by pressing F1 on your keyboard or by clicking on the **?** icon in the menu bar. You will notice that your mouse-icon changed. You can now click any element in VieSched++ to display a short help text.

A more detailed discussion of many of the options VieSched++ offer is discussed in my dissertation <u>http://repositum.tuwien.ac.at/obvutwhs/content/titleinfo/4655766</u> as well as on the VieVS YouTube channel <u>https://www.youtube.com/channel/UCl2VPe7OrnznNtrh0_lwrqQ</u>.

LOAD EXPERIMENT DATA:

Now, you have to define some general settings. Since we want to schedule an official IVS session, we can read the session setup from the IVS schedule master. Click the "list next" button to list all sessions for the next 30 days. You can double-click any session to load it. This will automatically setup the right session code/description, start date, duration, antenna network, scheduling and correlation center as well as downtimes due to IVS intensive sessions. In this exercise, we want to schedule session *"R1946"*.

Basic Adv	anced He	lp Analysis												C	
S 🕼 🛛	• 🎩 🗄	-	1 Ð 🚨 🗖	4) 🌐 🥈	ቅ 쳐 🌈 🛔 📝 🖣	🤞 🤃	b 📡		÷×	Ż	?		1/2	E S
port from mar	tor D1046												link mar		•
port from <u>mas</u>	R 1946												list nex	α	
ession code	R 1946														
ession descript time	ion IVS-R1	946													
start:	11.05.2020) 17:00	•				G			Mai	2020			•	
day of year:			•					Mo.	Di.	Mi.	Do.	Fr.	Sa.	So.	
duration:	24,00 [h]		÷				18	27	28	29	30	1	2	3	
							19 20	4	5 12	6 13	7 14	8 15	9 16	10 17	
							21	18	19	20	21	22	23	24	
							22 23	25 1	26 2	27 3	28 4	29 5	30 6	31 7	
Dialog							_			_				?	
Dialog nlight VIEN	Intensiv	e S/X												?	
nlight VIEN	Intensiv	e S/X Ops Center	Start	DOY	Duration	Stations			Cor	rrelator	r DB	Code		?	
nlight VIEN		Ops Center	Start 11.05.2020 17:00	DOY 132	Duration 17:00	Stations (10) Ht Is Kk Kv Ma Ny Wn Wz	Yg Zc		Cor	rrelator BON		Code		?	
nlight VIEN 14-hour S/X Name	Code R1946	Ops Center NASA					Yg Zc		Cor		IN		_	?	
Name	Code R1946 V00132	Ops Center NASA HAYS	11.05.2020 17:00	132	17:00	(10) Ht Is Kk Kv Ma Ny Wn Wz	Yg Zc		Cor	BON	IN /S	XA		?	
hlight VIEN 14-hour S/X Name IVS-R 1946 VGOS-O0 132	Code R1946 V00132	Ops Center NASA HAYS VIEN	11.05.2020 17:00 11.05.2020 18:00	132 132	17:00 18:00	(10) Ht Is Kk Kv Ma Ny Wn Wz (8) Gs K2 Mg Oe Ow Wf Ws Yj	Yg Zc		Cor	BON HAY	IN 7S IN	XA VG		?	
Alight VIEN Al-hour S/X Name IVS-R 1946 VGOS-00 132 IVS-OHG 125	Code R1946 V00132 OHG125	Ops Center NASA HAYS VIEN SHAO	11.05.2020 17:00 11.05.2020 18:00 12.05.2020 17:30	132 132 133	17:00 18:00 17:30	 (10) Ht Is Kk Kv Ma Ny Wn Wz (8) Gs K2 Mg Oe Ow Wf Ws Yj (8) Ft Ho Ht Kk Oh Sy Ww Yg 			Cor	BON HAY BON	IN rs IN O	XA VG XA		?	
Alight VIEN 14-hour S/X Name 1VS-R 1946 VGOS-00132 1VS-OHG 125 APSG-47	Code R1946 V00132 OHG125 AP5G47	Ops Center NASA HAYS VIEN SHAO USNO	11.05.2020 17:00 11.05.2020 18:00 12.05.2020 17:30 13.05.2020 18:00	132 132 133 134	17:00 18:00 17:30 18:00	 (10) Ht Is Kk Kv Ma Ny Wn Wz (8) Gs K2 Mg Oe Ow Wf Ws Yj (8) Ft Ho Ht Kk Oh Sy Ww Yg (8) Ho Is Kg Kk Km Sh Ur Yg 	Ys Zc	n Wz Ys		BON HAY BON SHA	IN /S IN O SH	XA VG XA XA		?	
Name VS-R 1946 VS-R 1946 VS-OHG 125 VS-OHG 125 APSG-47 VS-R 4946	Code R1946 V00132 OHG125 AP5G47 R4946	Ops Center NASA HAYS VIEN SHAO USNO NASA	11.05.2020 17:00 11.05.2020 18:00 12.05.2020 17:30 13.05.2020 18:00 14.05.2020 18:30	132 132 133 134 135	17:00 18:00 17:30 18:00 18:30	 (10) Ht Is Kk Kv Ma Ny Wn Wz (8) Gs K2 Mg Oe Ow Wf Ws Yj (8) Ft Ho Ht Kk Oh Sy Ww Yg (8) Ho Is Kg Kk Km Sh Ur Yg (10) Ft Ht Is Kk Ny Wn Ww Yg 	Ys Zc	n Wz Ys		BON HAY BON SHAY WAS	IN (S IN O SH	XA VG XA XA XE		?	

ALTERNATIVELY:

You can simply enter the IVS session code in the input field next to "Import from master" and hit enter to read the setup of any IVS session. This also works for past sessions as well as for future sessions listed in the IVS master file.

Of course, you can also simply enter all the settings by hand. Session name and start time can be entered here, the network can be defined at the network page .

HINT:

You can highlight session sessions designated to your scheduling center. Save your scheduling center name for the future 🗎.

DEFINE YOUR PARAMETERS:

Parameters are grouped by station-based parameters $\stackrel{\text{def}}{\longrightarrow}$, source-based parameters $\stackrel{\text{def}}{\longrightarrow}$ and baselinebased parameters $\stackrel{\text{def}}{\longrightarrow}$. To change some parameters, click on the $\stackrel{\text{def}}{\longrightarrow}$ button next to the parameter name. **The default parameters should work well for most sessions.** However, it might be worth having a look at the available parameters to see what is available.



You can notice that VieSched++ automatically added down-times for station KOKEE and WETTZELL due to an intensive session taking place at the same time.

HINT:

More information about how the parameters setup works, including some examples, can be found at the FAQ page .

In a nutshell: It is possible to give every station, source and baseline their own parameters. Additionally, it is possible to group elements and change the parameters for this group. The parametrization follows a tree-based setup.

There might be some reasons to change the parameters of one station:

- to add a station in tagalong mode
- to add additional down-time
- to limit the number of scans a station is allowed to observe (e.g.: for Svetloe)
- to increase the weight of a station to better include them in the schedule.

The next section shows how to change the parameters of one station

OPTIONAL - CHANGE PARAMETERS OF ONE STATION:

This section demonstrates how to change the parameters of one station. We will put station KOKEE in tagalong mode. First, we have to generate a new set of parameters and then we have to assign these parameters to a station.

We need to create a new parameter by clicking on the **t** icon next to *"Parameter"*. Change the parameters to your need (in this example we will change *"tagalong"* to *"yes"*. Enter a parameter name (e.g.: *"tagalong"*) and click *"OK"*.

select parameters you want	to add:		•	load 💾 save
available		^	scan time	
• yes	🔿 no		max scan time 600 [s]	* *
available for fillin mode			min scan time 30 [s]	•
• yes	⊖ no		min SNR	
	0.112		x 0,00 [Jy]	* *
✓ tagalong	() no		s 0,00 [Jy]	*
ves	0 no	_		
general				
weight	1,00	* *	ignore sources	
min slew time	0 [s]	*	available	selected
max slew time	600 [s]	*	礯 _all	
min slew distance	0,00 [deg]	*	☆ 0003-066	
max slew distance	175,00 [deg]	*	☆ 0008-264	
max wait time	600 [s]	÷	Filter:	
parameter name tagalong				
				K Cancel

Now you have to select KOKEE as *"member"* and select our parameter *"tagalong"*. We could define a time-span when these parameters should be used, but in this example, we can leave it to the default start- and end-time (which is the full session duration).

Now we need to click " add setup" to assign this parameter set to KOKEE. It should now appear at the list at the right, as well as at the time-depending plot for KOKEE at the bottom.

transition color 15.2020 17:00 hard 15.2020 17:00 hard 15.2020 19:40 hard 15.2020 19:40 hard 15.2020 19:40 hard
15.2020 17:00 hard 15.2020 19:40 hard 15.2020 17:00 hard 15.2020 19:40 hard
15.2020 19:40 hard 15.2020 17:00 hard 15.2020 19:40 hard
15.2020 17:00 hard
15.2020 19:40 hard
AA
💥 remove selected
~
ε
× remove

OPTIMIZE YOUR SCHEDULE:

We will optimize our schedule by using the multi-scheduling feature. This will automatically generate a high number of different schedules which can be compared to select the best one. The most important parameters to optimize are the *"weight factors"*., in particular the *"sky coverage"*, *"number of observations"*, *"duration"* and *"idle time"* weight factor.

You have to select one of the weight factors on the left and click " **4** add selected". A new window should appear where you can input the values that should be used to generate the schedules. We will use three different values (0.33, 0.66 and 0.99) for all four weight factors. This will in total generate 79 different schedules as a grid wise combination of all values.

	VieSo	:hed++		-	
Basic Advanced Help Analysis					
🔪 🎲 🛵 🚚 💾 🕨 🙆 🖅 💈	🗟 强 🌒 🌐 🏠 🗲	P 🖊 👔 📝 🛛	🤏 🐉 💭 🚱 🕁 🔍 🛛 🖓	12	्रिं
multi-scheduling					
parameters evolutionary selection mu	lti core support				
max number of schedules: all 🔹 79	•		pick random va	alues	
seed: random 👻 0					
	In the discussion of the state				
	lected multi scheduling parar				
	arameter	member nr. values			
 general subnetting 	n sky-coverage	global 3	0.33		
subnetting min source angle	number of observations	5	0.33		
subnetting min participating s fillin-mode during scan selecti	🏚 duration	🔮 global 3	0.33	*	
fillin-mode influence on scan	👔 idle time	🜒 global 3	0.33	-	
fillin-mode a posteriori					
focus corner switch cadence					
sky-coverage					
number of observations					
duration average stations					
average sources					
average baselines idle time					
idle time interval					
🗱 🧩 👍 🛉			× remove sele	cted	
			Renove sele	cteu	
			total number of schedu	les: 79	
			all downloads fini	shed H	

HINT:

You can automatically generate values if you like. Just define your start- and stop-value as well as your step size. In this example, the start would be 0.33, the step would be 0.33 and the end could be left to 1.00. If you click on " 🗣 generate" the values are automatically added to the list.

ALTERNATIVELY:

You can also select the weight factors explicitly. However, this will only generate one schedule. VieSched++ × File Basic Advanced Analysis Help 🕨 🖸 Ð 💁 🖼 🌒 🌑 🏠 🏞 🌈 🚺 🕑 🤜 📩 🚯 💭 🍕 📏 2 📕 💾 🛛 ÷ sky coverage 1,00 25% 💾 What are weight factors? 5 1,00 -25% (and why are they so important) number of observations ۲ ÷ 1,00 25% duration To answer this question it is necessary to understand how extra weight after long idle time 1,00 + 25% VieSched++ works: + 300 [s] interval Generally speaking, the software is using a **brute force**

DEFINE OUTPUT:

In principle, you can **leave the default values** here. It might be good to add contact information as well as provide some notes. They will appear in the operation notes file. (Information about down-time and tagalong time is automatically added to the operation notes file and does not have to be listed here.

Output files			
🗹 create initializer	log file 🗹 create iteration log file	8	
✓ create ngs file	🗹 create skd file 🛛 🗹 create vex file		۲
create operation	is notes 🗌 create skdsum file 🔹 create SNR table 📄 create sky coverage file		
create source gr	oup based statistics file choose group		
output directory	/out/	🗹 add timestamp	
output directory		☑ add timestamp	
		add timestamp	
redirect ngs files			
redirect ngs files			
redirect ngs files scheduler NASA correlator BONN			
redirect ngs files scheduler NASA correlator BONN optional output	t		

ITERATIVE SOURCE SELECTION:

You might want to use an iterative source selection to avoid scheduling many sources with only a few scans. Therefore simply click on " + add" to add a new rule to the iterative source selection algorithm. The default rule says that you want to at least observe each source three times. This is reasonable for most sessions.

	VieSched++	-		×
File Basic Advanced Help Analysis				
🟫 🎲 🛃 📕 💾 🕨 💆	🚨 ⊡ 🌑 🌐 ဂြို 쳐 🌈 👔 🕞 🤜 象 💭 🎯 😓 🛇 🛛 😨 🗐	12	₹ ¢	>>
source-based conditions				
member	ॐ_all_ ▼ ≰ ≰ priority* member #scans #observations			5
min number of scans per source	3 ↓ 0 梦_all_3 0			۲
min number of observations per source	0			
	add			
combine conditions	and 🔹			
stop if number of reduced sources below	3			
max number of iterations	10 \$			
✓ gentle source reduction	for 1 iterations	ed		
percentage of source to reduce per iteration	50.00 [%] *settings with higher priority number override previouse o	nes		

OPTIONAL – SCHEDULE CALIBRATOR SCANS:

You might want to consider scheduling calibrator scans.

You can simply click on the "Schedule calibration scans" checkbox to enable this option. There are plenty of options to customize your calibration blocks. The default settings will schedule two calibrator blocks, one 10 minutes after the session start and one close to the session end. Within each calibrator block, two scans are scheduled with a fixed observation duration of 300 seconds. The observed sources are chosen to reach a very high SNR with many stations.

The default settings should work well for R1 (and similar) sessions. In case you have a low recording rate, it might be better to increase the scan duration.

				VieSo	ched++							-	
asic Advanced Hel	lp Analysis												
🏟 i 🛃 🔏 i 😭	O		🖾 🔟 🌒 🤅	🕀 🖈 😫	P 🌈 🤷	> 📢	\$ & C) 💮	- 3	. ?		12	1
							~	· • ·					
												-	1
calibration block	X cat-eye d	optimizat	ion 🛛 洋 scan se	quence 🛛 🗙	a priori scans	🔀 calib	pration bloc	k (astron	netry)	X force	e az/el		
schedule calibration	n scans												
predefined										*			
✓ session start	dalam Cr	00 [s]	scan duration	200 [-]	\$ scans per block	ck 2	allowed	(<u> </u>				
							-						
session mid	offset 0	[s]	scan duration	300 [s]	scans per blo	ck 2	allowed	sources	鐵_all				
			A					(
✓ session end a	advance* 12	200 [s]	\$ scan duration	1 300 [s]	scans per blo	ck 2	allowed	sources	🔀 _all	_ *			
			the session end t							_			
										_			
										_	_		
* make sure to	o start early e				h time left other					_	_		
* make sure to	o start early e	nough at	the session end t	o have enoug	h time left other					_	_		
* make sure to	o start early e	nough at ration [s]	scans per block	o have enoug	h time left other					_			
* make sure to C custom 7 \$ offset from session 0.50 [hours] 4.00 [hours]	n start du	ration [s]	scans per block	allowed sou	h time left other					_			
* make sure to C custom 7 offset from session 0.50 [hours] 4.00 [hours] 8.00 [hours]	o start early e	ration [s] [s] [s] [s] [s] [s]	scans per block 2 2 2 2	allowed sou 译_all_ 译_all_ 译_all_	h time left other					_			
* make sure to custom 7 \$ offset from session 0.50 [hours] 4.00 [hours] 8.00 [hours] 12.00 [hours]	o start early e	Inough at Iration [s] ¢ [s] ¢ [s] ¢	scans per block	allowed sou 蓉_all_ 蓉_all_ 蓉_all_ 蓉_all_	h time left other					_	_		
* make sure to C custom 7 offset from session 0.50 [hours] 4.00 [hours] 8.00 [hours]	o start early e	Inough at Iration [s] ¢ [s] ¢ [s] ¢	scans per block 2 2 2 2	allowed sou 译_all_ 译_all_ 译_all_	h time left other					_			
* make sure to custom 7 \$ offset from session 0.50 [hours] 4.00 [hours] 8.00 [hours] 12.00 [hours]	o start early e	Iration [s] [s] [s] [s] [s] [s] [s]	scans per block 2 2 2 2 2 2 2 2 2	allowed sou 蓉_all_ 蓉_all_ 蓉_all_ 蓉_all_	h time left other					_			
* make sure to C custom 7 ÷ offset from session 0.50 [hours] 4.00 [hours] 12.00 [hours] 16.00 [hours]	o start early e	Inough at Iration [s] \$ [s] \$	scans per block 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	allowed sou 常_all_ 常_all_ 常_all_ 常_all_ 常_all_ 常_all_	h time left other					_			

SIMULATE YOUR SESSIONS:

If you want to simulate your schedules, simply click on the "simulate schedules" checkbox. The default simulation parameters, as well as estimated parameters, should work well for a 24-hour S/X session.

	💾 🕨 🔟	🖴 🖽 🌒 🌐 🏠 🏸 🖉	i 🕞 🤜 🚵 💭 🚳 📩	8 🛛 🗐 🏷 🤻
	•			
simulate schedule	5			
				H
Simulation Sol	ve Priority			
simulations: 1000	×		fixed seed 212033261	2 + show wn table
Station	white noise*	clock ASD	clock dur	tropo
🗹 🎊 _all	17,68 [ps]	÷ 1,0000e-14 [s]	≑ 50 [min]	🗘 1,80e-
ART15	17,68 [ps]	🗘 1,0000e-14 [s]	\$ 50 [min]	÷ 1,80e-
P HART15I P ISHIOKA	1 4 4	 1,0000e-14 [s] 1,0000e-14 [s] 		 ↓ 1,80e- ↓ 1,80e-
ISHIOKA	17,68 [ps]	♣ 1,0000e-14 [s]		↓ 1,80e
KOKEE	17,68 [ps] 17,68 [ps] 17,68 [ps]	→ 1,0000e-14 [s] → 1,0000e-14 [s]	\$ 50 [min] \$ 50 [min]	
KOKEE	17,68 [ps] 17,68 [ps] 17,68 [ps]	1,0000e-14 [s] 1,0000e-14 [s] 1,0000e-14 [s] 1,0000e-14 [s]		 ↓ 1,80e ↓ 1,80e ↓ 1,80e
Kokee Matera Kokee Matera Sejong	17,68 [ps] 17,68 [ps] 17,68 [ps] 17,68 [ps] 0 17,68 [ps]	\$ 1,0000e-14 [s]	\$50 [min] \$50 [min] \$50 [min] \$50 [min] \$50 [min] \$50 [min]	 ↓,80e- ↓,80e- ↓,80e- ↓,80e- ↓,80e-
Kokee Matera Sejong Wett21	17,68 [ps] 17,68 [ps] 17,68 [ps] 17,68 [ps] 0 17,68 [ps] 17,68 [ps]	 1,0000e-14 [s] 1,0000e-14 [s] 1,0000e-14 [s] 1,0000e-14 [s] 1,0000e-14 [s] 1,0000e-14 [s] 	\$ 50 [min] \$ 50 [min]	 ↓ 1,80e-
 ISHIOKA KOKEE KOKEE MATERA NYALESZ SEJONG WETT21 WETT2E 	17,68 [ps] 17,68 [ps]	\$ 1,0000e-14 [s] \$ 1,0000e-14 [s]	\$50 [min] \$50 [min]	 1,80e-

OPTIONAL - OUTPUT RECOMMENDATION:

It is possible to output a recommendation of which schedule to use. To enable this, check *"output recommendation"* in the *"Priority"* tab. Note that this will not affect your scheduling in any way. It will simply list the version number of which schedule VieSched++ thinks is the best one to the log file. You can define the focus of your session by changing the "priority" value in the list below. A high priority

value for one parameter means that VieSched++ will recommend a schedule performing well for this parameter. Always include a high number of observation (*"#obs"*) as one of the goals of your session.

Basic Advanced						~
😨 🛃		Ċ	🖅 🖾 💽 🌐 🏠 🚧 🌈 📓 😥 🤜 💭	🔮 📩 🗞 🛛		2 4
simulate schedules						
simulate schedules						-
		_			8	4
Simulation Solve	e Priority					
				reference quantile:	0,75 🗘	
output recomm	endation			•		1
			· · · · · ·	. 1.44		
< mean formal er	rrors only		both equally	repeatability	only>	
name	priority				^]
#obs	1,00	-		33	.33%	
✓ EOP	1,00	-		33	.33%	
XPO	0,20	÷		6	.67%	
YPO	0,20	÷		6	.67%	
dUT1	0,20	¢		6	.67%	
NUTX	0,20	+		6	.67%	
NUTY	0,20	÷		6	.67%	
✓ stations	1,00	÷		33	.33%	
HART15M	0,10	÷		3	.33%	
ISHIOKA	0,10	÷		3	.33%	
KOKEE	0,10	÷		3	.33%	
MATEDA	0.10				220/ ¥	

START SCHEDULING:

You can start the scheduling process by clicking on the ▶ button at the bottom right of VieSched++. Generating all schedules might take some time. If it takes too long consider reducing the number of schedules generated with the multi-scheduling tool. The log file lists the scheduling progress (check if there are any warnings or errors). If you did use the option to output a recommended schedule, VieSched++ will list it at the end of the log file (as well as some alternatives).

A more general way to compare schedules is by using the statistics tool in VieSched++ | . To view statistics and plots of one explicit schedule, use the VieSched++ Analyzer .

VieSchedpp log	
processing file:/out/20200509175044_OHG125/VieSchedpp.xml	
[2020-05-09 17:55:28.975248] (0x000041b8) [info] version 20: start analysis [2020-05-09 17:55:30.828523] (0x000035ec) [info] version 50: finished	^
[2020-05-09 17:55:33.259262] (0x000007a4) [info] version 60: finished	
[2020-05-09 17:55:34.681949] (0x00002d14) [info] version 10: finished [2020-05-09 17:55:34.811821] (0x000041b8) [info] version 20: finished	
[2020-05-09 17:55:34.902733] (0x00002d14) [info] recommended schedule: version 33 (score: 0.9811 # obs: 2618) [2020-05-09 17:55:34.902733] (0x00002d14) [info] alternative schedule: version 40 (score: 0.9477 # obs: 2620)	
[2020-05-09 17:55:34.902733] (0x00002d14) [info] alternative schedule: version 18 (score: 0.9143 # obs: 2619)	
[2020-05-09 17:55:34.903732] (0x00002d14) [info] VieSched++ is dosing [2020-05-09 17:55:34.903732] (0x00002d14) [info] created scans: 6319610	
[2020-05-09 17:55:34.903732] (0x00002d14) [info] created observations: 40417313	
[2020-05-09 17:55:34.903732] (0x00002d14) [info] created antenna pointings: 138931213 [2020-05-09 17:55:34.933706] (0x00002d14) [info] execution time: 4m 48s 724ms	
	¥

Besides scheduling related files, VieSched++ outputs some general files which might be of interest:

- VieSchedpp.xml: input file for VieSched++. Includes all settings and can be used to regenerate schedule.
- VieSchedpp_*datetime*.log: copy of the log file. It can be used to browse for warnings and errors.
- **statistics.csv:** machine-readable file including many statistics of each generated schedule. It can be used to write a script to select the best schedule
- *simulation_summary.txt:* human-readable file summarizing simulation result:

```
D:\programmieren\out\20200509175044_OHG125\simulation_summary.txt - Notepad++
Datei Bearbeiten Suchen Ansicht Kodierung Sprachen Einstellungen Werkzeuge Makro Ausführen Erweiterungen Fenster ?
🔚 simulation_summary.txt 🗵
       mean formal errors:
                                                                                                                                         YARRA12M
                                                                                                                                                          FORTLEZA
            v
                    score
                                    #obs
                                                      XPO
                                                                        YPO
                                                                                        dUT1
                                                                                                         NUTX
                                                                                                                          NUTY
                                                                                                                                                                            HART15M
                                                                                                                                                                                            HOB.
                                                                                                                                             5.9875
                    0.3481
                                        2517
                                                      77.0568
                                                                       74.1652
                                                                                         2.2115
                                                                                                         38.1013
                                                                                                                          43.6480
                                                                                                                                                            10.3806
                                                                                                                                                                               7.4417
              1
              2
                     0.4885
                                        2538
                                                      80,9219
                                                                       70.7374
                                                                                         2.1197
                                                                                                         39.3667
                                                                                                                          43.1320
                                                                                                                                             5.8191
                                                                                                                                                              9.2594
                                                                                                                                                                                7.3967
                    0.0514
0.7755
0.4731
                                                      81.3701
77.6588
79.5962
                                                                                                         41.4375
38.6034
39.6513
                                        2490
                                                                       77.0807
                                                                                         2.3913
                                                                                                                           43.0016
                                                                                                                                             6.0070
                                                                                                                                                             10.9454
                                                                                                                                                                                7.8730
                                        2592
2542
                                                                       65.8937
72.5121
                                                                                         2.3247
                                                                                                                          40.7957
                                                                                                                                                              8.9971
9.1923
                                                                                                                                             5.7097
                                                                                                                                                                                 . 5297
                                                                                                                                             5.9894
                                                                                                                                                                                  6299
                     0.8007
                                        2583
                                                      76.3898
                                                                       66.4988
                                                                                         2.1647
                                                                                                         37.7990
                                                                                                                           41.6423
                                                                                                                                             5.9030
                                                                                                                                                              9.9473
                                                                                                                                                                                7.1244
              7
                    0.6795
                                        2565
                                                      74.0696
                                                                       70.3935
                                                                                         2.2118
                                                                                                         38,2609
                                                                                                                           44.5903
                                                                                                                                             5.8086
                                                                                                                                                              9.5262
                                                                                                                                                                                7.0344
  11
12
13
14
15
16
17
18
19
                     0.4069
0.4655
0.1839
                                                                                         2.2118
2.2134
2.2829
2.2990
                                                                                                                                                             9.5262
10.5563
10.6511
9.9962
                                        2549
                                                                       71.2221
                                                                                                          40.0762
                                                                                                                           42,1060
                                                                                                                                             5.8003
                                                                                                                                                                                 .5101
                                        2624
2512
                                                      81.4696
81.6420
                                                                       73.1463
                                                                                                         40.3989
                                                                                                                          44.2405
                                                                                                                                                                                  5650
5903
                                                                                                                                             6.1414
             10
            11
                     0.7016
                                        2614
                                                      79.2289
                                                                       71.5752
                                                                                         2.2235
                                                                                                         38.4971
                                                                                                                           41.8662
                                                                                                                                             5.9387
                                                                                                                                                             10.6778
                                                                                                                                                                                7.3281
            12
                     0.4895
                                        2579
                                                      82.1844
                                                                       67.1550
                                                                                         2.1953
                                                                                                         39.8060
                                                                                                                           44.1419
                                                                                                                                             5.5275
                                                                                                                                                              9.3374
                                                                                                                                                                                7.8494
             13
14
15
                                                      75.4827
77.2230
75.5960
                                                                      69.4246
68.5379
71.2394
                                                                                         2.2689
2.2917
2.2185
                                                                                                                                             6.2362
5.6868
6.3859
                                                                                                                                                                                7.2416
7.3501
7.7026
                     0.8394
                                        2646
                                                                                                         37.7806
                                                                                                                           43.2225
                                                                                                                                                              9.7358
                                        2533
2544
                                                                                                                          42.7284
                     0.4933
                                                                                                          39.5211
                                                                                                                                                               9.8479
                                                                                                         38.3235
                     0.5387
                                                                                                                                                              9.8243
            16
                     0.7471
                                        2603
                                                      76.2773
                                                                       68.5972
                                                                                         2.1480
                                                                                                         38.9569
                                                                                                                           43.4999
                                                                                                                                             5.7662
                                                                                                                                                              9.0722
                                                                                                                                                                                7.6972
             17
                     0.5002
                                        2547
                                                      81.8826
                                                                       69.1992
                                                                                         2.2386
                                                                                                         39.1726
                                                                                                                           42.7559
                                                                                                                                                              9.1078
                                                                                                                                                                                7.1088
                                                                                                                                             5.7226
            18
                                                      77.2358
                                                                       67.9372
                                                                                                         36.7594
                                                                                                                           41.5948
                    0.9245
                                        2619
                                                                                         2.1028
                                                                                                                                             6.0152
                                                                                                                                                              9.3246
                                                                                                                                                                               7.1725
```

HINT:

If you regularly schedule VLBI sessions, especially for IVS, have a look at *"VieSched++ AUTO"*, a simple python program that automatically does the scheduling and uploading for you. VieSched++ AUTO is meant to run as a daily cronjob and notifies you per mail in case it did run any session (including statistics and plots that let you decide immediately if the schedule is good or not). https://github.com/TUW-VieVS/VieSchedpp AUTO